

1039-2.

MAR 6 1916

COBURN

ROUND TROUGH
TROLLEY TRACKS
and DOOR HANGERS



Catalogue
Number 48

HENRY A. TERRY
422 COMMERCE STREET
PHILA.

PA.

ЭПУМДА МИДАЯ
АИЧДАДИН

Catalogue and Price List No. 48

Door Hangers Tracks, Etc.

*Coburn Trolley Track
Mfg. Co.*

WAREHOUSES

NEW YORK, 90 West Street
CHICAGO, 65 East Lake Street

PHILADELPHIA, 422 Commerce Street
BOSTON, 180 High Street

BRANCHES

London, Birmingham, Manchester, England
Glasgow, Scotland

MAIN OFFICE AND WORKS

Holyoke, Massachusetts, U. S. A.

INTRODUCTORY



O other Door Hanger ever placed upon the market has been so widely imitated as *The Coburn*. The reason is obvious. In presenting this catalogue we wish to call especial attention to a number of new features and changes of importance. ¶ The goods illustrated and listed in this catalogue will be supplied on all orders received after July 1, 1916, as this catalogue supersedes all previous issues of our Door Hanger Catalogue. ¶ We also wish to call attention to the fact that we manufacture Rolling Ladders, Overhead Carrying Track and Carriers and Fire Proof Doors and Hardware, for all of which we issue separate catalogues, that we will gladly send upon request to anyone interested

TERMS

All bills are payable in thirty days net, or a discount of two per cent. for cash in ten days from date of invoice.

Accounts overdue are subject to a sight draft.

All claims for errors in shipments or for shortages must be made within five days after receipt of goods.

Goods are sold f. o. b. cars at shipping point unless freight allowance is quoted.

All agreements are contingent upon strikes, accidents or other causes beyond our control.

Quotations are made for immediate acceptance.

We will replace free of charge any goods made by us that are found defective on account of material or workmanship.

Do not return any goods to us without first writing us for shipping instructions.

Prices in this catalogue, as well as discounts applying to same, subject to change without notice.

1270000-00000000000000000000000000000000

HOW TO ORDER COBURN BARN DOOR HANGERS AND TRACK

Note 1 When hangers are listed as **SETS** we pack 2 End and 1 Open brackets with each set, enough for two pieces of track, and for every piece of track used in excess of two, an extra open bracket is required.

Note 2 When hangers are listed as **PAIRS** no brackets are included and you will require one more bracket than there are pieces of track, two of which must be end (or closed) and the balance open brackets.

Note 3 For double barn doors order the same as though each door was to be hung separately; the builder will then begin at center of the opening with a right and left closed bracket and build each way the requisite length of track for each door. The closed brackets at center will serve as stops, preventing either door from passing that point. A center stop bracket will be furnished in place of the end brackets for center if desired.

Note 4 If you have several doors to be hung on one continuous run of track, so advise that we may substitute some open brackets for the closed ones packed in each set.

Note 5 We can provide to have two or more parallel runs of tracks, allowing doors to slide by each other by using the parallel ear brackets. See pages 15 and 21.

Order by Numbers. See Lists, pages 9 to 25.

HOW TO ORDER COBURN BARN DOOR HANGERS AND TRACK

Note 1

Ascertain probable weight of door and order track, hangers and brackets by number. Always give thickness of doors.

Note 2

For doors not exceeding 300 pounds in weight use No. 1 track.
For doors not exceeding 500 pounds in weight use No. $2\frac{1}{2}$ track.
For doors not exceeding 1200 pounds in weight use No. 4 track.
For doors exceeding 1200 pounds special attention needed.

Note 3

Brackets spaced four feet or five feet on centers will be sufficient if proper size track and hangers are used.

Note 4

Nos. 1 and $2\frac{1}{2}$ tracks are furnished in even foot lengths up to ten feet.
No. 4 track in even foot lengths up to eight feet.

Note 5

For parallel runs of track attached to face of wall, double or triple brackets as illustrated on pages 15 and 21.
Use parallel ear brackets to attach track to underside of a heading timber.

Note 6


Hangers designated A are for No. 1 track.
Hangers designated B are for No. $2\frac{1}{2}$ track.
Hangers designated C are for No. 4 track.

Full Size of Trolley Tracks

Full size of
Track No. 1



Full size of
Track No. 0




Full size of Track
No. 2




"Parlor Door Track"

Full size of
Track
No. 2½



Full size of Tracks
Nos. 3 and 4



No. 3 made of
16-Gauge Steel

No. 4 made of
13-Gauge Steel

For description and price list see page 7

ADAPTATIONS OF THE COBURN "ROUND TROUGH" TROLLEY TRACKS TO THE VARIOUS STYLES OF HANGERS

No. 0 Track.

Is used only with No. 99 Hangers listed on page 50.
3 feet is the longest length made. Per foot.....\$0.16

No. 1 TRACK

Is used with the following styles of Hangers: 90, 95, 119, 120, 122, 135a, 137a, 138a, 139a, "150a," "160a," "161a," "170a," 185a, 195a, 400a, 600a.

10 feet is the longest length. Per foot.....\$0.20

No. 2 TRACK

Is exclusively used for Hanging House Doors, and with these styles of Hangers: 75, 80, 85, 100, 110, 115, 200, 210.

Sold only in sets and attached to wood headers.

10 feet longest length made.

No. 2 1-2 TRACK

Used with the following Hangers: 122 $\frac{1}{2}$, 135b, 137b, 138b, 139b, 150b, 160b, 161b, 185b, 190b, 195b, 400b, 600b.

10 feet is the longest length made. Per foot.....\$0.30

No. 2 1-2 Wood Lined Track

Used with No. 220 Hangers.

10 feet is the longest length made. Per foot.....\$0.50

No. 3 TRACK

Used with No. 124 Hangers.

8 feet is the longest length made. Per foot.....\$0.40

No. 4 TRACK

Used with the following Hangers: 130, 135c, 137c, 138c, 139c, 140, "150c," "160c," 161c, "170c," "185c," 195c, "196c," 400c, 600c.

8 feet is the longest length made. Per foot.....\$0.50

BARN DOOR CARRIERS AND TROLLEYS

Used with Round Trough Trolley Tracks




Illustration shows a Roller-Bearing Carrier

Carriers

C- 1.	Wood-Bearing Carriers for No. 1 Track (without Trolleys).....	Each, \$0.25
C- 4.	Roller-Bearing, Fibre Trolley Carriers for No. 1 Track.....	" 1.00
C- 5.	Roller-Bearing, Fibre Trolley Carriers for No. 2 Track.....	" 1.00
C- 6.	Roller-Bearing, Iron Trolley Carriers for No. 1 Track.....	" .90
C- 7.	Roller-Bearing, Iron Trolley Carriers for No. 2½ Track.....	" 1.25
C- 8.	Roller-Bearing, Fibre Trolley Carriers for 2½ Track	" 1.50
C- 9.	Roller-Bearing, Fibre Trolley Carriers for Nos. 3 and 4 Track.....	" 4.00
C-10.	Roller-Bearing, Iron Trolley Carriers for Nos. 3 and 4 Track.....	" 2.00
C-11.	Ball-Bearing Carriers, Fibre Trolleys for No. 1 Track	" 1.50
C-12.	Ball-Bearing Carriers, Fibre Trolleys for No. 2½ Track.....	" 2.00


Iron and Fibre Trolleys

T-1.	Iron Trolley, 1½ inches in diameter, used with C-1 Carrier.....	Each, \$0.20
T-2.	Fibre Trolley, 1½ inches in diameter, used with C-1 Carrier.....	" .20

Barn Door Hangers

No. 119-119R.

Used with No. 1 Trolley Track



Self-Lubricating Wood Bearings, Iron or Fibre Trolleys, Lateral Adjustments

Suitable for doors that are not over 150 pounds in weight and not more than 2 inches thick.

Illustration shows No. 9 Petticoat that has an adjustment of $1\frac{3}{4}$ inches.

PRICE LIST

Hangers (without Track Brackets)	Per Pair,	\$1.90
Hangers (with 3 Side Wall Brackets)	Per Set,	2.50
No. 1 Track furnished up to 10 feet in length	Per Foot,	.20
Side Wall Brackets	Each,	.20
Side Wall Center Stop Bracket	Each,	.35

No. 119R

Roller-Bearings, Iron Trolleys, Lateral Adjustments

Suitable for doors that are not over 200 pounds in weight and not over 2 inches thick.



PRICE LIST

Hangers (without Track Brackets)	Pair,	\$2.30
Hangers (with 3 Side Wall Brackets)	Set,	2.90
Track and Brackets same as above.		

WEIGHTS


No. 119 Hangers	Per Pair,	5 lbs.
No. 119 Hangers	Per Set,	10 "
No. 1 Track	Per Foot,	$1\frac{1}{2}$ "
Side Wall Brackets	Each,	$1\frac{1}{2}$ "
Distance from top of Door to top of Bracket		$5\frac{1}{4}$ in.
Distance from top of Door to Bolt Hole in Bracket		$4\frac{3}{8}$ in.
Distance from top of Door to top of Ceiling Bracket		$4\frac{1}{4}$ in.

Barn Door Hangers

No. 120-122

Used with No. 1 Trolley Track

Roller-Bearings, Iron Trolleys, Lateral Adjustment



Suitable for
Doors weighing
300 pounds.

No. 120 for
Doors $1\frac{3}{4}$ in. to
 $2\frac{1}{4}$ in. thick.

No. 122 for
Doors $2\frac{1}{4}$ in. to 3
in. thick.

PRICE LIST

Hangers (without Track Brackets)	Per Pair, \$2.50
Hangers (with 3 Side Wall Brackets)	Per Set, 3.10
No. 1 Track	Per Foot, .20
Side Wall Brackets	Each, .20
Side Wall Center Stop Bracket	Each, .35

Note — Steel petticoats, same as used with No. 137 style hanger will be furnished in place of those shown in cut, at same list price.

WEIGHTS

No. 120. Hangers	Per Pair, 8 lbs.
No. 120. Hangers	Per Set, 14 "
No. 122. Hangers	Per Pair, 9 "
No. 122. Hangers	Per Set, 15 "
No. 1 Track	Per Foot, $1\frac{1}{2}$ "
Side Wall Brackets	Each, $1\frac{1}{2}$ "

No. 1 Track can be furnished in any length up to 10 feet.


Distance from top of Door to top of Bracket	$5\frac{1}{4}$ in.
Distance from top of Door to Bolt Hole in Bracket	$5\frac{5}{8}$ in.
Distance from top of Door to top of Ceiling Bracket	$4\frac{1}{4}$ in.

Barn Door Hangers

No. 122 1-2

Used with No. 2 $\frac{1}{2}$ Trolley Track

Roller-Bearing, Iron Trolleys, 3 Inches in Diameter, Lateral Adjustment



Adapted to Doors weighing 300 to 500 pounds and 2 $\frac{1}{4}$ to 3 inches in thickness.

Packed with No. 11 Petticoat but can be used with other Petticoats if desired for Doors less than 2 $\frac{1}{4}$ inches in thickness. See Note foot of page 31.

PRICE LIST

Hangers (without Track Brackets)	Per Pair,	\$3.30
Hangers (with 3 Side Wall Brackets)	Per Set,	4.35
No. 2 $\frac{1}{2}$ Trolley Track	Per Foot,	.30
Side Wall Brackets for No. 2 $\frac{1}{2}$ Track	Each,	.35
Side Wall Center Stop Brackets for Double Doors	Each,	.60

WEIGHTS

No. 122 $\frac{1}{2}$. Hangers	Per Pair, 12 lbs.
No. 122 $\frac{1}{2}$. Hangers	Per Set, 18 "
No. 2 $\frac{1}{2}$. Trolley Track	Per Foot, 2 $\frac{1}{3}$ "
No. 2 $\frac{1}{2}$. Trolley Wall Brackets	Each, 2 $\frac{1}{2}$ "

No. 2 $\frac{1}{2}$ Trolley Track can be furnished in any length up to 10 feet.

Any No. 2 $\frac{1}{2}$ Track Bracket can be used in place of the Side Wall Brackets if desired.

Distance from top of Door to top of Bracket	6 $\frac{1}{2}$ in.
Distance from top of Door to Bolt Hole in Bracket	5 $\frac{1}{2}$ in.
Distance from top of Door to top of Ceiling Bracket	5 $\frac{1}{4}$ in.

Barn Door Hangers


No. 124

Used with No. 3 or No. 4 Trolley Track

Roller-Bearing, Iron Trolleys, 3 1-2 Inches in Diameter, Lateral Adjustment

Adapted to Doors weighing 500 to 800 pounds.

Cut shows No. 57 Petticoat. See note foot of page 31.



PRICE LIST

Hangers (without Track Brackets)	Per Pair,	\$5.00
Hangers (with 3 Side Wall Brackets)	Per Set,	6.50
No. 3 Trolley Track	Per Foot,	.40
Side Wall Medium Heavy Brackets	Each,	.50
Side Wall Center Stop Brackets for Double Doors	Each,	.80

WEIGHTS

No. 124. Hangers	Per Pair,	20 lbs.
No. 124. Hangers	Per Set,	32 "
No. 3. Trolley Track	Per Foot,	2 $\frac{3}{4}$ "
Side Wall Medium Heavy Brackets	Each,	4 "

No. 3 and No. 4 Track is not furnished in lengths longer than 8 feet each.

The No. 124 Hanger can be used with any of the Brackets used with the No. 4 Track.

Distance from top of Door to top of Bracket	7 $\frac{3}{4}$ in.
Distance from top of Door to Bolt Hole in Bracket	6 $\frac{3}{4}$ in.
Distance from top of Door to top of Ceiling Bracket	6 $\frac{1}{4}$ in.

Barn Door Hangers

No. 130

Used with No. 4 Trolley Track



Suitable for Doors weighing from 800 to 1200 pounds and not over 3 inches thick.

Cut shows No. 12 Petticoat, 12 inches long. Other Petticoats can be used. See note foot of page 31.

PRICE LIST

Hangers (without Track Brackets)	Per Pair,	\$5.50
Hangers (with 3 Side Wall Brackets)	Per Set,	7.90
No. 4 Trolley Track	Per Foot,	.50
Side Wall Heavy Brackets	Each,	.80
Side Wall Heavy Center Stop Bracket	Each,	1.00

WEIGHTS

No. 130. Hangers	Per Pair,	22 lbs.
No. 130. Hangers	Per Set,	42 "
No. 4. Trolley Track	Per Foot,	4 "
Side Wall Heavy Brackets	Each,	7½ "


No. 4 Track is not furnished in lengths longer than 8 feet each.

Parallel Ear or Side Ear Brackets as shown on page 32 can be substituted for the Side Wall if desired.

Distance from top of Door to top of Side Wall Bracket	8½ in.
Distance from top of Door to Bolt Hole in Bracket	7 in.
Distance from top of Door to top of Parallel Ear or Side Ear Bracket	6¼ in.

Barn Door Hangers

No. 135 A-B-C



**Roller-Bearing, Iron Trolleys, Vertical
and Lateral Adjustment**

Adjusting parts, Bronze Castings.

Pendants, Steel forgings.

Petticoats, Wrought Iron.

A Rust-Proof and Unbreakable Hanger.

PRICE LIST

No. 135-a. For No. 1 Track (capacity 400 lbs.) . . . Per Pair,	\$5.00
No. 135-b. For No. 2½ Track (capacity 600 lbs.) . . . Per Pair,	6.00
No. 135-c. For No. 4 Track (capacity 1200 lbs.) . . . Per Pair,	7.00
Track and Brackets same as shown on pages 10 to 13.	

WEIGHTS

No. 135-a. For No. 1 Track	Per Pair, 7 lbs.
No. 135-b. For No. 2½ Track	Per Pair, 9 "
No. 135-c. For No. 4 Track	Per Pair, 21 "

This Hanger can be adjusted either vertically or laterally at any time without taking same off the Door or out of the Track. Adjusting Parts are absolutely Rust-Proof and easily accessible. No special tools are required for adjusting.

Distances from top of Door to top of Bracket same as required for the lateral adjustment Hangers of the corresponding sizes, as shown on pages 10 to 13.

Barn Door Hangers

No. 137 A-B-C

Roller-Bearing, Iron Trolleys, Vertical
and Lateral Adjustment

Steel Forged Pendants.


Wrought Iron Petticoats.



PRICE LIST

No. 137-a. For No. 1 Track (capacity 400 lbs.) . . . Per Pair,	\$3.50
No. 137-b. For No. 2½ Track (capacity 600 lbs.) . . . Per Pair,	4.50
No. 137-c. For No. 4 Track (capacity 1200 lbs.) . . . Per Pair,	6.00

Track and Brackets
same as shown on
Pages 10 to 13.




Weights the same as
the No. 135 Style
Hanger.

Distances from top
of Door to top of
Bracket same as re-
quired for the lateral
adjustment. Hangers
shown on pages 10 to
13.

Barn Door Hangers

No. 138 A-B-C

Roller-Bearing, Iron Trolleys,
Lateral Adjustment, and
Hinged Steel Forged Pendants
Wrought Iron Petticoats



PRICE LIST

No. 138-a. For No. 1 Track, (capacity 400 lbs.)	\$4.50
No. 138-b. For No. 2½ Track, (capacity 600 lbs.)	5.50
No. 138-c. For No. 4 Track, (capacity 1200 lbs.)	6.50

Track and brackets same as shown on pages 10-13.

Weights same as No. 135 style Hanger.


Distances from top of Door to top of Brackets

	To top of wall bracket.	To center of bolt hole in bracket	To top of parallel ear bracket
No. 138-a.	5½"	4⁵/₈"	4¹/₂"
No. 138-b.	6³/₄"	5³/₄"	5⁵/₈"
No. 138-c.	8³/₄"	7³/₈"	7⁷/₈"

Barn Door Hangers

No. 139 A-B-C

Roller-Bearing, Iron Trolleys,
Lateral and Vertical Adjust-
ments, and Hinged, Steel
Forged Pendants and
Wrought Iron Petticoats



PRICE LIST

No. 139-a. For No. 1 Rail (capacity 400 lbs.)	\$5.00
No. 139-b. For No. 2½ Rail (capacity 600 lbs.)	6.00
No. 139-c. For No. 4 Rail (capacity 1200 lbs.)	7.00

Track and Brackets same as shown on pages 10-13.

Weights same as No. 135 style.

DISTANCES FROM TOP OF DOOR TO TOP OF BRACKETS

	To top of wall bracket	To center of bolt hole in bracket	To top of parallel ear bracket
No. 139-a.	6½"	5⁵/₈"	5¹/₂"
No. 139-b.	7³/₄"	6³/₄"	6⁵/₈"
No. 139-c.	9³/₄"	8³/₈"	7⁷/₈"

Barn Door Hangers

No. 140

Used with No. 4 Trolley Track



**Roller-Bearing, Iron Trolleys,
3 1-2 Inches in Diameter,
Lateral Adjustment**

Suitable for Doors weighing from 1200 to 2000 pounds, and from 3 inches to 4 inches thick.

PRICE LIST

Hangers (without Track Brackets).....	Per Pair,	\$6.50
Hangers (with 3 Side Wall Brackets).....	Per Set,	8.90
No. 4 Trolley Track.....	Per Foot,	.50
Side Wall Heavy Brackets.....	Each,	.80
Side Wall Heavy Center Stop Bracket.....	Each,	1.00

WEIGHTS

No. 140. Hangers.....	Per Pair,	29 lbs.
No. 140. Hangers.....	Per Set,	48 "
No. 4. Trolley Track.....	Per Foot,	4 "
Side Wall Heavy Brackets.....	Each,	7½ "

No. 4 Track is not furnished in lengths longer than 8 feet.

Parallel Ear or Side Ear Brackets, shown on page 32, can be substituted for the Side Wall Brackets if desired.

Distance from top of Door to top of Side Wall Bracket.....	8½ in.
Distance from top of Door to Bolt Hole in Bracket.....	7¼ in.
Distance from top of Door to top of Parallel Ear or Side Ear Bracket.....	6½ in.


Barn Door Hangers

No. 150 A-B-C

**Roller-Bearing, Iron Trolleys,
Vertical Adjustment**

**Steel Forged Pendant
Bronze Adjusting Nut**

For several Doors hung on parallel tracks. All to enter the same pocket.



PRICE LIST


No. 150-a. For No. 1 Track (capacity 300 lbs.)	Per Pair,	\$3.50
No. 150-b. For No. 2½ Track (capacity 400 lbs.)	Per Pair,	4.50
No. 150-c. For No. 4 Track (capacity 600 lbs.)	Per Pair,	6.00
No. 1 Trolley Track	Per Foot,	.20
No. 2½ Trolley Track	Per Foot,	.30
No. 4 Trolley Track	Per Foot,	.50
Parallel Ear Brackets for No. 1 Track	Each,	.25
Parallel Ear Brackets for No. 2½ Track	Each,	.40
Parallel Ear Brackets for No. 4 Track	Each,	.80

WEIGHTS

No. 150-a. Hangers for No. 1 Track	Per Pair,	5 lbs.
No. 150-b. Hangers for No. 2½ Track	Per Pair,	7½ "
No. 150-c. Hangers for No. 4 Track	Per Pair,	11½ "
Parallel Ear Brackets for No. 1 Track	Each,	1¾ "
Parallel Ear Brackets for No. 2½ Track	Each,	2¾ "
Parallel Ear Brackets for No. 4 Track	Each,	7 "
Distance from top of Door to top of Ceiling Bracket, No. 1 Track, 5 in.		
Distance from top of Door to top of Ceiling Bracket, No. 2½ Track, 6½ in.		
Distance from top of Door to top of Ceiling Bracket, No. 4 Track, 6¾ in.		

Barn Door Hangers

No. 160 A-B-C



Roller-Bearing, Iron Trolleys, Vertical Adjustment

Double Hexagon Adjusting Nuts

Wrought Iron Straps for 160-a and 160-b, 10 inches long; for 160-c, 12 inches long.

In ordering this style always state thickness of doors and whether straps are to be spread full thickness of door or with one or both straps cut flush into sides of door.

PRICE LIST

No. 160-a. Hangers for No. 1 Track (capacity 400 lbs.)	Per Pair,	\$4.50
No. 160-b. Hangers for No. 2½ Track (capacity 600 lbs.)	Per Pair,	5.00
No. 160-c. Hangers for No. 4 Track (capacity 1200 lbs.)	Per Pair,	6.00

Track listed on page No. 7.

Track Brackets listed on pages 32 and 34.

No. 161 A-B-C



This style Hanger is exactly the same as the No. 161 style, except that it has a Bronze Adjusting Nut. The capacity is the same.


No. 161-a. Hangers for No. 1 Track	Per Pair,	\$5.50
No. 161-b. Hangers for No. 2½ Track	Per Pair,	6.00
No. 161-c. Hangers for No. 4 Track	Per Pair,	7.00

WEIGHTS

No. 160-a. and 161-a. Hangers	Per Pair,	7 lbs.
No. 160-b. and 161-b. Hangers	Per Pair,	9 lbs.
No. 160-c. and 161-c. Hangers	Per Pair,	15 lbs.

Barn Door Hangers

No. 170 A-B-C



Roller-Bearing, Iron Trolleys, Non-Adjustable

Wrought Iron Strap Petticoat for 170-a. and 170-b. Hangers is 10 inches long; for 170-c. Hanger 12 inches long.

Note — In ordering this style of hanger, always state thickness of doors as well as the style of track bracket they are to be used with.


PRICE LIST

No. 170-a. Hangers for No. 1 Track.....	Per Pair,	\$4.00
No. 170-b. Hangers for No. 2½ Track.....	Per Pair,	5.00
No. 170-c. Hangers for No. 4 Track.....	Per Pair,	6.00


For Price List of Track and Brackets see pages 7, 32-34.

WEIGHTS

No. 170-a. Hangers.....	Per Pair,	6 lbs.
No. 170-b. Hangers.....	Per Pair,	8½ "
No. 170-c. Hangers.....	Per Pair,	13 "



Application of the
No. 130 Hanger in front
and No. 170 Hanger in
rear on Double Doors run-
ning on Parallel Tracks
put up with Double Side
Wall Brackets.



No. 185 Style

Heavy School-house Door

With Corner Plate, Double Trolley Carriers, Roller-Bearing

For Straight Track only.

For Curved Track use No. 161.

This style of Hanger is adaptable to all kinds of sliding doors and is of special advantage when it is desirable to slide doors by each other


Price List

No. 185-a Hangers for No. 1 Track, Per Pr., \$4.50	
No. 1 Track.....	Per Foot, .20
No. 1 Track Brackets, "Side Wall"	
No. 14, 15, 16.....	Each, .20
No. 21 and 22, "Parallel Ear" Each,	.25
No. 185-b. Hangers for No. 2½ Track.....	Per Pair, 6.00
No. 2½ Track.....	Per Foot, .30
No. 2½ Track Brackets, "Side Wall"	
No. 217, 218 and 219.....	Each, .35
No. 221 and 222 "Parallel Ear"	Each, .40
No. 185-c. Hangers for No. 4 Track.....	Per Pair, 7.50
No. 4 Track.....	Per Foot, .50
No. 4 Track Brackets "Side Wall"	
No. 44, 45, 46.....	Each, .80
No. 52 and 53 "Parallel Ear"	Each, .80

Discount.....

Distances from top of Door to top of Bracket same as for No. 150 Style Hanger.
Prices on Metal Shield shown in lower cut, on application.


Illustration shows No. 161 Style Hangers



Barn Door Hangers

No. 190

FLUSH DOOR HANGERS Roller-Bearing Carriers, Iron Trolleys



Adapted especially for stable doors where it is desirable to have the same shut tight, keeping out the cold and wind.

The petticoat on the door is constructed so as to allow the pendant from the carrier to slide back and forth so as to carry the door in flush with jamb and thus make the opening perfectly tight.

One Pair of Hangers for a single door includes two of each, roller bearing carriers, pendants and petticoats, one each top and bottom castings for side of door, lock and handle.

No. 190-a. Hangers for No. 1 Track	Per Pair,	\$4.00
No. 190-b. Hangers for No. 2½ Track	Per Pair,	5.00
No. 190-c. Hangers for No. 4 Track	Per Pair,	6.00

Fastenings and Handle included in price of Hangers.


For Price List of Track and Brackets see pages 7, and 33-35.

WEIGHTS

No. 190-a. Hangers	Per Pair,	7 lbs.
No. 190-b. Hangers	Per Pair,	12 "
No. 190-c. Hangers	Per Pair,	18½ "

Barn Door Hangers

No. 195



CORNER DOOR HANGERS Roller-Bearing Carriers with Single Trolley


Track on wall at right angles to opening projects into wall far enough to allow door to close tight against wall.

CARRIERS — SWIVEL — For hanging a door that will slide on a wall at a right angle to the door opening. Something novel and practical. Easily applied and operated

PRICE LIST

No. 195-a. Hangers (for No. 1 Track)	Per Pair, \$4.00
Track No. 1	Per Foot, .20
No. 1 Track Brackets, "Side Wall" Nos. 14, 15 and 16, on p. 32	Each, .20
Weight of Hangers, per pair, 3 lbs.	
No. 195-b. Hangers (for No. 2½ Track)	Per Pair, 5.00
No. 2½ Track	Per Foot, .30
No. 2½ Track Brackets, "Side Wall" Nos. 217, 218, 219, on p. 32,	Each, .35
Weight of Hangers, per pair, 5 lbs.	
No. 195-c. Hangers (for Nos. 3 and 4 Track)	Per Pair, 6.00
No. 4 Track	Per Foot, .50
No. 4 Track Brackets, "Side Wall" Nos. 44, 45, 46 on p. 34 . . .	Each, .80
Weight of Hangers, per pair 12 lbs.	

Garage Door Hanger



The illustration on this page shows the application of No. 195 Hangers to Swing and Slide Doors.

This combination is desirable in many instances in narrow garages.

In erecting, the door hinged to jamb should be the thickness of the door less in width than the other doors.

For prices, etc., see opposite page.

Barn Door Stay or Guide Rollers



No. 189


COBURN BARN DOOR
STAY ROLLER

Per Dozen, \$6.00



No. 188


Per Dozen, \$1.25



No. 186

REVERSIBLE

Per Dozen, \$2.00



No. 186

Per Dozen, \$2.00



No. 187

ADJUSTABLE

Per Dozen, \$6.00



F. 14

Per Dozen, \$6.00

Barn Door Hangers

No. 500



Steel, Anti-Friction, Loop Frame Barn Door Hangers

No. 501.	For 5 ft. Doors	Per Pair,	\$1.10
No. 502.	" 10 ft. " light	Per Pair,	1.30
No. 503.	" 10 ft. " heavy	Per Pair,	1.75
No. 504.	" 15 ft. " light	Per Pair,	2.15
No. 505.	" 15 ft. " heavy	Per Pair,	2.60

No. 501.	Strap 1 x $\frac{1}{4}$ inch.	Wheel 3 inches diameter.	Weight Per Pair,	7 $\frac{1}{2}$ lbs.
No. 502.	" 1 x $\frac{1}{4}$ "	" 4 $\frac{3}{8}$ "	" "	9 $\frac{1}{4}$ "
No. 503.	" 1 $\frac{1}{8}$ x 5-16 "	" 5 "	" "	13 $\frac{1}{4}$ "
No. 504.	" 1 $\frac{1}{8}$ x 5-16 "	" 5 "	" "	18 "
No. 505.	" 1 $\frac{1}{4}$ x $\frac{3}{8}$ "	" 5 "	" "	24 "

STEEL BARN DOOR HANGER, COVERED

The **Covered Hanger** is the same as the "Anti-Friction" with a heavy steel cover applied outside the regular frame. The axle has the same broad bearing surface and the cover not only protects the wheel but carries the drip clear from the axle and ways.


PRICE LIST

No. 511.	For 5 ft. Doors	\$1.15
No. 512.	" 10 ft. " light	1.40
No. 513.	" 10 ft. " heavy	1.95
No. 514.	" 15 ft. " light	2.35
No. 515.	" 15 ft. " heavy	2.85

WEIGHTS

No. 511	Per Pair,	8 $\frac{1}{2}$ lbs.
No. 512	"	11 $\frac{1}{2}$ "
No. 513	"	15 $\frac{1}{4}$ "
No. 514	"	21 "
No. 515	"	28 "

Size of Strap and Wheel same as for the No. 501-505 Hangers.



Barn Door Hangers

No. 500

STEEL COVERED HANGERS



These Hangers are adapted for any length run. The Wheels, in sizes above No. 25, are fitted with roller-bearings.

PRICE LIST

No. 525.....	Per Pair,	\$0.68
No. 530.....	"	.82
No. 540.....	"	.98
No. 550.....	"	1.20
No. 560.....	"	1.40
No. 570.....	"	4.00

No. 525.	Strap, 1 x 3-16 inches.	Diameter of Wheel, 3 inches
No. 530.	" 1 $\frac{1}{8}$ x 3-16 "	" " " 3 "
No. 540.	" 1 x $\frac{1}{4}$ "	" " " 3 $\frac{1}{2}$ "
No. 550.	" 1 x 5-16 "	" " " 3 $\frac{1}{2}$ "
No. 560.	" 1 x 5-16 "	" " " 3 $\frac{1}{2}$ "
No. 570.	" 1 $\frac{1}{4}$ x $\frac{3}{8}$ "	" " " 4 $\frac{3}{8}$ "


WEIGHTS

No. 525.....	Per Pair,	5 $\frac{1}{4}$ lbs.
No. 530.....	"	5 $\frac{1}{2}$ "
No. 540.....	"	7 $\frac{1}{2}$ "
No. 550.....	"	9 "
No. 560.....	"	9 "
No. 570.....	"	19 "



Steel Track

No. 500



Rail stock straight and true.

Brackets one foot apart.

Square rivet holes prevent brackets from turning.

PRICE LIST

Track, 1 x 3-16 inches.....	Per Foot,	\$0.07
Track, 1 $\frac{1}{4}$ x 3-16 inches.....	Per Foot,	.085
Track, 1 $\frac{1}{2}$ x 3-16 inches.....	Per Foot,	.11

WEIGHTS

Track, 1 x 3-16 inches.....	Per Foot, .065 lbs.
Track, 1 $\frac{1}{4}$ x 3-16 inches.....	Per Foot, .083 "
Track, 1 $\frac{1}{2}$ x 3-16 inches.....	Per Foot, .09 "

Steel Track

No. 555



With separate cast iron Brackets one foot apart to be used with lag screws or bolts.


PRICE LIST

Standard Track, 1 $\frac{1}{4}$ x 3-16 inches.....	Per Foot,	\$0.09
Standard Track, 2 x 3-16 inches.....	Per Foot,	.20

WEIGHTS

Standard Track, 1 $\frac{1}{4}$ x 3-16 inches.....	Per Foot, .085 lbs.
Standard Track, 2 x 3-16 inches.....	Per Foot, 1.35 "


**ILLUSTRATIONS OF
PENDANTS AND PETTICOATS USED WITH
TROLLEY TRACK HANGERS**



DETAILS OF PENDANTS AND PETTICOATS

Note—Petticoats Nos. 9, 10, 12, 57, 58 and 106 are all fitted with the same diameter Adjusting Screw, hence are interchangeable, and either can be substituted for any of the others above enumerated. The adjusting screws, however, vary in Length.


ILLUSTRATIONS OF
TROLLEY TRACK BRACKETS



DETAIL OF TROLLEY TRACK BRACKETS

No.					List Price
12	Petticoat described on page 31				\$0.75
13	Petticoat described on page 31				1.10
14	Right End Closed Side Wall	Brackets for No. 1 Track			.20
15	Left End Closed Side Wall	" " " 1 "			.20
16	Center or Open Side Wall	" " " 1 "			.20
21	Center or Open Parallel Ear	" " " 1 "			.25
22	Closed End Parallel Ear	" " " 1 "			.25
23	Open Side Ear	" " " 1 "			.30
24	Closed End Side Ear	" " " 1 "			.30
47	Open Side Me'd H'y	" " " 3 "			.50
48	Right End Side Wall Me'd H'y	" " " 3 "			.50
49	Left End (Illus. on page 32)	" " " 3 "			.50
50	Open Side Ear	" " " 4 "			1.50
51	Closed Side Ear	" " " 4 "			1.50
52	Closed Parallel Ear	" " " 3, 4 "			.80
53	Closed Parallel Ear	" " " 3, 4 "			.80
85	Open Side Wall	" " " 0 "			.16
86	Right End Closed Side Wall	" " " 0 "			.16
87	Left End Closed Side Wall	" " " 0 "			.16
91	Open Side Ear	" " " 0 "			.16
92	Closed End Side Ear	" " " 0 "			.16
118	Open Double Run Side Wall	" " " 1 "			1.00
119	Left End Double Run Side Wall	" " " 1 "			1.00
120	Right End Double Run Side Wall	" " " 1 "			1.00
132	" Special " Right Angle Side Wall	" " " 1 "			.35
217	Open Side Wall	" " " 2½ "			.35
218	Right End Side Wall	" " " 2½ "			.35
219	Left End Side Wall	" " " 2½ "			.35
727	Center Stop Wall (Not Illus.)	" " " 1 "			.35
728	Center Stop Wall	" " " 2½ "			.60
729	Center Stop Wall (Not Illus.)	" " " 3 "			.80
880	Center Parallel Ear (Not Illus.)	" " " 3, 4 "			1.00
1287	Center Stop Parallel Ear	" " " 1 "			.40

ILLUSTRATIONS OF
TROLLEY TRACK BRACKETS



DETAIL OF TROLLEY TRACK BRACKETS

No.					List Price
44	Center Open Side Wall	Brackets for No. 4 Track		\$0.80	
45	Right End Closed Side Wall	" " "	4 "	.80	
46	Left End Closed Side Wall	" " "	4 "	.80	
47	Open (see page 32) Side Wall	" " "	3 "	.50	
48	Right Closed End (see p.32) Side Wall	" " "	3 "	.50	
49	Left Closed End Side Wall	" " "	3 "	.50	
69r	Right Closed End Corn. Facia "Spc."	" " "	1 "	.35	
69	Open Cornice Facia "Special"	" " "	1 "	.35	
69l	Left Closed End Corn. Facia "Spec"	" " "	1 "	.35	
89	Open Parallel Ear	" " "	0 "	.16	
90	Closed Parallel Ear	" " "	0 "	.16	
111	Open Double Run Side Wall	" " "	4 "	2.00	
112	Left Closed End Dbl. Run S. Wall	" " "	4 "	2.00	
113	Right Closed End Dbl. Run S. Wall	" " "	4 "	2.00	
125	Open Double Run Side Wall	" " "	2 $\frac{1}{2}$ "	1.25	
126	Right Closed End Dbl. Run S. Wall	" " "	2 $\frac{1}{2}$ "	1.25	
127	Left Closed End Dbl. Run Side Wall	" " "	2 $\frac{1}{2}$ "	1.25	
221	Open Parallel Ear	" " "	2 $\frac{1}{2}$ "	.40	
222	Closed Parallel Ear	" " "	2 $\frac{1}{2}$ "	.40	
223	Open Side Ear	" " "	2 $\frac{1}{2}$ "	.45	
224	Closed Side Ear	" " "	2 $\frac{1}{2}$ "	.45	
233	Open Triple Run	" " "	4 "	3.25	
234r	Right Closed End Triple Run	" " "	4 "	3.25	
235l	Left Closed End Triple Run	" " "	4 "	3.25	
237	Open Side Ear "Fort"	" " "	4 "	1.00	
238	Closed Side Ear "Fort"	" " "	4 "	1.00	
730	Center Stop Wall (Not Illus.)	" " "	4 "	1.00	
886	Center Stop Parallel Ear (Not Illus.)	" " "	2 $\frac{1}{2}$ "	.65	

How to Order Coburn House Door Hangers


SELECT the style of Hanger wanted and give the number and the letter, if any, that corresponds to the size of the opening. A door filling an opening six feet wide is a six-foot single and requires a set of No. 8 or No. 8A, B, C, D or E, as desired. Two Doors each three feet wide in a six-foot opening is a six-foot double and requires a set of No. 15 or No. 15A, B, C, D or E. In any case where the opening is the same, whether one or two doors are used in the opening, the Track will be the same, the different numbers showing the size and whether single or double, and the letters showing style of Hangers wanted.

Overhead stops will be furnished if called for on order, otherwise we will send the regular Back Stop as illustrated on page 37.

Every set of Trolley Tracks, except the No. 65, whether for a single or double door, must be made up of two pieces when the door goes into a pocket. Never try to use one-half a double set for the hanging of a single door, as trouble will surely follow. You must have two pieces of track for each set with the exception of the No. 65. With the No. 65 on single sets up to six-foot, only one piece of track is required. On all double sets two pieces are required.

To ascertain extreme length of pocket space required for any set of Trolley Tracks and Headers, double the width of opening and add six inches for the two end lugs.

DIRECTIONS FOR APPLYING BACK STOPS FOR DOUBLE HOUSE DOORS



Attach the "Stop Button" to the back stile of door midway between top and bottom of door, by using the 3-inch lag screws, allowing the square end to project one-half inch.


Drive a nail or brad in the back edge of door for the notch of the button to rest against and in such a position as to hold the button squarely across the door so that it will come in contact with the rubber bumper in the stop plate. Fasten the "Stop Plate" to the left-hand jamb, cutting same in flush; cut away the edge of the jamb so that the "Stop Button" can pass and strike bumper in the plate. The box casing will cover the "Stop Plate." To remove door from pocket insert a case-knife blade, turn up the stop button and door can then be rolled out of pocket.

SPECIAL NOTICE


We furnish when ordered specially two kinds of **Overhead "Stops,"** "Astragal" and Plain. Unless otherwise specified, we always send the "**Back Stops.**"

House Door Hangers

No. 65



Ball-Bearing Carrier



NOISELESS SINGLE WOOD TRACK ADJUSTABLE HANGER

Header can be attached to heading timber without removing track. Doors can be taken off and put on track after same is in position without removing track. Track can be taken out and adjusted, if necessary, and put back at any time by simply removing one screw. The adjustment in the hanger is most accessible and can be made with ordinary screw-driver without the trouble of removing cotter pins or other locking devices.

The track is so constructed as to be extremely rigid. These hangers being the easiest and quickest to apply of any hanger made.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
610	2 feet, 0 inches	\$3.25	12 $\frac{1}{2}$ lbs.	623	4 feet, 0 inches	\$6.25	23 lbs.
611	2 " 3 "	3.25	13 $\frac{1}{4}$ "	624	4 " 6 "	6.50	26 $\frac{1}{2}$ "
612	2 " 6 "	3.25	14 "	625	5 " 0 "	6.75	28 "
613	2 " 9 "	3.50	14 $\frac{3}{4}$ "	626	5 " 6 "	6.75	29 $\frac{1}{2}$ "
614	3 " 0 "	3.50	15 $\frac{1}{2}$ "	627	6 " 0 "	6.75	31 "
615	3 " 3 "	3.75	16 $\frac{1}{4}$ "	628	6 " 6 "	7.00	32 $\frac{1}{2}$ "
616	3 " 6 "	3.75	17 "	629	7 " 0 "	7.25	34 "
617	3 " 9 "	4.00	17 $\frac{3}{4}$ "	630	7 " 6 "	7.50	35 $\frac{1}{2}$ "
618	4 " 0 "	4.25	18 $\frac{1}{2}$ "	631	8 " 0 "	7.75	37 "
619	4 " 6 "	4.50	20 "	632	9 " 0 "	8.25	40 "
620	5 " 0 "	4.75	21 $\frac{1}{2}$ "	633	10 " 0 "	8.75	43 "
621	5 " 6 "	5.00	23 "	634	11 " 0 "	9.25	46 "
622	6 " 0 "	5.25	24 $\frac{1}{2}$ "	635	12 " 0 "	9.75	49 "

Hangers only for Single Doors, Per Set, \$1.75 6 $\frac{1}{2}$ lbs.
Hangers only for Double Doors, Per Set, 3.50 13 lbs.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.

Distance from top of door to underside of heading timber, 9 $\frac{1}{8}$ inches.

House Door Hangers


No. 75

**Ball-Bearing, Single Fibre
Trolleys**

Adjustable Hangers

Packed in sets with stops,
guides and screws.

Track adjustable on Wood
Headers.



PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 G	2 feet, 6 inches	\$3.00	16½ lbs.	11 G	4 feet, 0 inches	\$5.50	28 lbs.
2 G	3 " 0 "	3.50	19 "	12 G	4 " 6 "	5.75	30½ "
3 G	3 " 6 "	4.00	21½ "	13 G	5 " 0 "	6.00	33 "
4 G	4 " 0 "	4.25	24 "	14 G	5 " 6 "	6.00	35½ "
5 G	4 " 6 "	4.25	26½ "	15 G	6 " 0 "	6.00	38 "
6 G	5 " 0 "	4.50	29 "	16 G	6 " 6 "	6.25	40½ "
7 G	5 " 6 "	4.50	31½ "	17 G	7 " 0 "	6.50	43 "
8 G	6 " 0 "	4.50	34 "	17½ G	7 " 6 "	6.75	45½ "
8½ G	6 " 6 "	4.75	36½ "	18 G	8 " 0 "	7.00	48 "
9 G	7 " 0 "	5.00	39 "	18½ G	8 " 6 "	7.25	50½ "
9½ G	7 " 6 "	5.25	41½ "	19 G	9 " 0 "	7.50	53 "
10 G	8 " 0 "	5.50	44 "	19½ G	9 " 6 "	7.75	55½ "
				20 G	10 " 0 "	8.00	58 "


Hangers only for Single Doors..... Per Set, \$1.50 4 lbs.
Hangers only for Double Doors..... Per Set, 3.00 8 lbs.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various sizes.

This style hanger is designed especially for use when head room is limited. The distance required from top of door to underside of heading timber is 6½ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space required double the width of opening and add six inches for the two end lugs.



House Door Hangers

No. 85
Roller-Bearing, Single Fibre
Trolleys

Adjustable Pendants

Packed in sets with stops, guides and screws.

Track adjustable on Headers.

Application of stops shown on page 37.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 D	2 feet, 6 inches	\$3.00	16½ lbs.	11 D	4 feet, 0 inches	\$5.50	28 lbs.
2 D	3 " 0 "	3.00	19 "	12 D	4 " 6 "	5.75	30½ "
3 D	3 " 6 "	3.50	21½ "	13 D	5 " 0 "	6.00	33 "
4 D	4 " 0 "	4.00	24 "	14 D	5 " 6 "	6.00	35½ "
5 D	4 " 6 "	4.25	26½ "	15 D	6 " 0 "	6.00	38 "
6 D	5 " 0 "	4.50	29 "	16 D	6 " 6 "	6.25	40½ "
7 D	5 " 6 "	4.50	30½ "	17 D	7 " 0 "	6.50	43 "
8 D	6 " 0 "	4.50	34 "	17½ D	7 " 6 "	6.75	45½ "
8½ D	6 " 6 "	4.75	36½ "	18 D	8 " 0 "	7.00	48 "
9 D	7 " 0 "	5.00	39 "	18½ D	8 " 6 "	7.25	50½ "
9½ D	7 " 6 "	5.25	41½ "	19 D	9 " 0 "	7.50	53 "
10 D	8 " 0 "	5.50	44 "	19½ D	9 " 6 "	7.75	55½ "
				20 D	10 " 0 "	8.00	58

Hangers only for Single Doors, Per Set, \$1.50 4 lbs.
Hangers only for Double Doors, Per Set, 3.00 8 lbs.


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various sizes.

Application of No. 85

Allow from top of door to underside of heading timber 8½ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening and add six inches for the two end lugs.




House Door Hangers

No. 100

**Self-Lubricating Bearings, Double
Fibre Trolleys**


Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.



PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1	2 feet, 6 inches	\$3.00	15 lbs.	11	4 feet, 0 inches	\$5.50	24 $\frac{1}{2}$ lbs.
2	3 " 0 "	3.00	17 $\frac{1}{2}$ "	12 $\frac{1}{2}$	4 " 6 "	5.75	27 "
3	3 " 6 "	3.50	20 "	13	5 " 0 "	6.00	29 $\frac{1}{2}$ "
4	4 " 0 "	4.00	22 $\frac{1}{2}$ "	14	5 " 6 "	6.00	32 "
5	4 " 6 "	4.25	25 "	15	6 " 0 "	6.00	34 $\frac{1}{2}$ "
6	5 " 0 "	4.50	27 $\frac{1}{2}$ "	16	6 " 6 "	6.25	37 "
7	5 " 6 "	4.50	30 "	17	7 " 0 "	6.50	39 $\frac{1}{2}$ "
8	6 " 0 "	4.50	32 $\frac{1}{2}$ "	17 $\frac{1}{2}$	7 " 6 "	6.75	42 "
8 $\frac{1}{2}$	6 " 6 "	4.75	35 "	18	8 " 0 "	7.00	44 $\frac{1}{2}$ "
9	7 " 0 "	5.00	37 $\frac{1}{2}$ "	18 $\frac{1}{2}$	8 " 6 "	7.25	47 "
9 $\frac{1}{2}$	7 " 6 "	5.25	40 "	19	9 " 0 "	7.50	49 $\frac{1}{2}$ "
10	8 " 0 "	5.50	42 $\frac{1}{2}$ "	19 $\frac{1}{2}$	9 " 6 "	7.75	52 "
				20	10 " 0 "	8.00	55 "



Hangers only for Single Doors, Per Set, \$1.50 2 $\frac{1}{2}$ lbs.
Hangers only for Double Doors, Per Set, 3.00 4 $\frac{3}{4}$ lbs.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.


Application of No. 100 Hangers

Allow from top of door to underside of heading timber six inches.

*Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space required, double the width of opening and add six inches for the two end lugs.

Application of stops for double doors shown on page 37.



House Door Hangers

No. 110

**Self-Lubricating Bearings
Double Fibre Trolleys
Adjustable Pendants**

Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 A	2 feet, 6 inches	\$3.25	17 lbs.	11 A	4 feet, 0 inches	\$6.00	30 lbs.
2 A	3 " 0 "	3.25	19½ "	12 A	4 " 6 "	6.25	32½ "
3 A	3 " 6 "	3.75	22 "	13 A	5 " 0 "	6.50	35 "
4 A	4 " 0 "	4.25	24½ "	14 A	5 " 6 "	6.50	37½ "
5 A	4 " 6 "	4.50	27 "	15 A	6 " 0 "	6.50	40 "
6 A	5 " 0 "	4.75	29½ "	16 A	6 " 6 "	6.75	42½ "
7 A	5 " 6 "	4.75	32 "	17 A	7 " 0 "	7.00	45 "
8 A	6 " 0 "	4.75	34½ "	17½ A	7 " 6 "	7.25	47½ "
8½ A	6 " 6 "	5.00	37 "	18 A	8 " 0 "	7.50	50 "
9 A	7 " 0 "	5.25	39½ "	18½ A	8 " 6 "	7.75	52½ "
9½ A	7 " 6 "	5.50	42 "	19 A	9 " 0 "	8.00	55 "
10 A	8 " 0 "	5.75	44½ "	20 A	10 " 0 "	8.50	60 "

Hangers only for Single Doors, Per Set, \$1.75 4¾ lbs.
Hangers only for Double Doors, Per Set, 3.50 10 lbs.


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 110

Allow from top of door to unders'd of heading timber 8½ inches.


Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space double the width of opening and add six inches for the two ends lugs.



House Door Hangers


No. 115



**Roller-Bearings,
Double Fibre
Trolleys**

Packed in sets with
stops, guides and
screws.

Tracks adjustable
on
Wood Headers.



PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 T	2 feet, 6 inches	\$3.25	17 ³ / ₄ lbs.	11 T	4 feet, 0 inches	\$6.00	31 lbs.
2 T	3 " 0 "	3.25	20 ¹ / ₄ "	12 T	4 " 6 "	6.25	33 ¹ / ₂ "
3 T	3 " 6 "	3.75	22 ³ / ₄ "	13 T	5 " 0 "	6.50	36 "
4 T	4 " 0 "	4.25	25 ¹ / ₄ "	14 T	5 " 6 "	6.50	38 ¹ / ₂ "
5 T	4 " 6 "	4.50	27 ³ / ₄ "	15 T	6 " 0 "	6.50	41 "
6 T	5 " 0 "	4.75	30 ¹ / ₄ "	16 T	6 " 6 "	6.75	43 ¹ / ₂ "
7 T	5 " 6 "	4.75	32 ³ / ₄ "	17 T	7 " 0 "	7.00	46 "
8 T	6 " 0 "	4.75	35 ¹ / ₄ "	17 ¹ / ₂ T	7 " 6 "	7.25	48 ¹ / ₂ "
8 ¹ / ₂ T	6 " 6 "	5.00	37 ³ / ₄ "	18 T	8 " 0 "	7.50	51 "
9 T	7 " 0 "	5.25	40 ¹ / ₄ "	18 ¹ / ₂ T	8 " 6 "	7.75	53 ¹ / ₂ "
9 ¹ / ₂ T	7 " 6 "	5.50	42 ³ / ₄ "	19 T	9 " 0 "	8.00	56 "
10 T	8 " 0 "	5.75	45 ¹ / ₄ "	19 ¹ / ₂ T	9 " 6 "	8.25	58 ¹ / ₂ "
				20 T	10 " 0 "	8.50	61 "

Hangers only for Single Doors Per Set, \$1.75 5¹/₄ lbs.
Hangers only for Double Doors Per Set, 3.50 11 lbs


Hanger with Adjustable Pendant so arranged that no weight is placed on adjusting screw which is on the front edge of door and is the most accessible of any Adjustable Hanger made. It allows the door to be raised until it touches the track and consequently requires only the minimum of head room. No more than required for rigid pendant hangers.

When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for various lengths.

Distance from top of door to underside of heading timber, five inches.

House Door Hangers

No. 200



**Roller-Bearings, Double Fibre
Trolleys**

Rigid Pendants

Packed in sets with stops, guides and screws.

Track adjustable on Wood Headers.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 B	2 feet, 6 inches	\$3.25	15½ lbs.	11 B	4 feet, 0 inches	\$6.00	26½ lbs.
2 B	3 " 0 "	3.25	18 "	12 B	4 " 6 "	6.25	29 "
3 B	3 " 6 "	3.75	20½ "	13 B	5 " 0 "	6.50	31½ "
4 B	4 " 0 "	4.25	23 "	14 B	5 " 6 "	6.50	34 "
5 B	4 " 6 "	4.50	25½ "	15 B	6 " 0 "	6.50	36½ "
6 B	5 " 0 "	4.75	28 "	16 B	6 " 6 "	6.75	39 "
7 B	5 " 6 "	4.75	30½ "	17 B	7 " 0 "	7.00	41½ "
8 B	6 " 0 "	4.75	33 "	17½ B	7 " 6 "	7.25	44 "
8½ B	6 " 6 "	5.00	35½ "	18 B	8 " 0 "	7.50	46½ "
9 B	7 " 0 "	5.25	38 "	18½ B	8 " 6 "	7.75	49 "
9½ B	7 " 6 "	5.50	40½ "	19 B	9 " 0 "	8.00	51½ "
10 B	8 " 0 "	5.75	43 "	20 B	10 " 0 "	8.50	56½ "

Hangers only for Single Doors Per Set, \$1.75 3 lbs.
Hangers only for Double Doors Per Set, 3.50 6½ lbs.


When ordering track without hangers the list price is found by deducting the list price of hangers only from the list prices given for the various sizes.

Application of No. 200

Allow from top of door to underside of heading timber six inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening and add six inches for the two end lugs.



House Door Hangers


No. 210

**Roller-Bearing, Double Fibre
Trolleys**

Adjustable Pendant


Packed in sets with stops, guides
and screws.

Track adjustable on Wood
Headers.



PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 C	2 feet, 6 inches	\$3.50	17 $\frac{3}{4}$ lbs.	11 C	4 feet, 0 inches	\$6.50	31 lbs.
2 C	3 " 0 "	3.50	20 $\frac{1}{4}$ "	12 C	4 " 6 "	6.75	33 $\frac{1}{2}$ "
3 C	3 " 6 "	4.00	22 $\frac{3}{4}$ "	13 C	5 " 0 "	7.00	36 "
4 C	4 " 0 "	4.50	25 $\frac{1}{4}$ "	14 C	5 " 6 "	7.00	38 $\frac{1}{2}$ "
5 C	4 " 6 "	4.75	27 $\frac{3}{4}$ "	15 C	6 " 0 "	7.00	41 "
6 C	5 " 0 "	5.00	30 $\frac{1}{4}$ "	16 C	6 " 6 "	7.25	43 $\frac{1}{2}$ "
7 C	5 " 6 "	5.00	32 $\frac{3}{4}$ "	17 C	7 " 0 "	7.50	46 "
8 C	6 " 0 "	5.00	35 $\frac{1}{4}$ "	17 $\frac{1}{2}$ C	7 " 6 "	7.75	48 $\frac{1}{2}$ "
8 $\frac{1}{2}$ C	6 " 6 "	5.25	37 $\frac{3}{4}$ "	18 C	8 " 0 "	8.00	51 "
9 C	7 " 0 "	5.50	40 $\frac{1}{4}$ "	18 $\frac{1}{2}$ C	8 " 6 "	8.25	53 $\frac{1}{2}$ "
9 $\frac{1}{2}$ C	7 " 6 "	5.75	42 $\frac{3}{4}$ "	19 C	9 " 0 "	8.50	56 "
10 C	8 " 0 "	6.00	45 $\frac{1}{4}$ "	20 C	10 " 0 "	9.00	61 "



Hangers only for Single Doors, Per Set, \$2.00 5 $\frac{1}{4}$ lbs.
Hangers only for Double Doors, Per Set, 4.00 11 lbs.


When ordering track without hangers, the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 210

Allow from top of door to underside of heading timber, 8 $\frac{1}{2}$ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening, and add six inches for the two back lugs.



House Door Hangers

No. 220

Roller-Bearing, Double Iron
Trolley

Adjustable Pendant
Wood-Lined Adjustable Track

A perfectly noiseless Hanger.

Wheels run on hard maple.

Packed in sets with stops, guides
and screws.

PRICE LIST OF HANGERS AND TRACK

SINGLE DOORS				DOUBLE DOORS			
No.	Size of Opening	List	Wgt.	No.	Size of Opening	List	Wgt.
1 E	2 feet, 6 inches	\$5.25	23 lbs.	11 E	4 feet, 0 inches	\$8.00	39 lbs.
2 E	3 " 0 "	5.25	26 $\frac{1}{2}$ "	12 E	4 " 6 "	8.25	42 $\frac{1}{2}$ "
3 E	3 " 6 "	5.75	30 "	13 E	5 " 0 "	8.50	46 "
4 E	4 " 0 "	6.25	33 $\frac{1}{2}$ "	14 E	5 " 6 "	8.50	49 $\frac{1}{2}$ "
5 E	4 " 6 "	6.50	37 "	15 E	6 " 0 "	8.50	53 "
6 E	5 " 0 "	6.75	41 $\frac{1}{2}$ "	16 E	6 " 6 "	8.75	56 $\frac{1}{2}$ "
7 E	5 " 6 "	6.75	44 "	17 E	7 " 0 "	9.00	60 "
8 E	6 " 0 "	6.75	47 $\frac{1}{2}$ "	17 $\frac{1}{2}$ E	7 " 6 "	9.25	63 $\frac{1}{2}$ "
8 $\frac{1}{2}$ E	6 " 6 "	7.00	51 "	18 E	8 " 0 "	9.50	67 "
9 E	7 " 0 "	7.25	54 $\frac{1}{2}$ "	18 $\frac{1}{2}$ E	8 " 6 "	9.75	70 $\frac{1}{2}$ "
9 $\frac{1}{2}$ E	7 " 6 "	7.50	58 "	19 E	9 " 0 "	10.00	74 "
10 E	8 " 0 "	7.75	61 $\frac{1}{2}$ "	20 E	10 " 0 "	10.50	81 "

Hangers only for Single Doors, Per Set, \$2.00 5 $\frac{1}{2}$ lbs.
Hangers only for Double Doors, Per Set, 4.00 11 lbs.


When ordering track without hangers, the list price is found by deducting the list price of hangers only from the list prices given for the various lengths.

Application of No. 220

Allow from top of door to underside of heading timber 8 $\frac{3}{4}$ inches.

Allow for pocket space at least one inch in excess of thickness of door.

For length of pocket space, double the width of opening and add six inches for the two end lugs.



House Door Hangers

No. 400 A-B-C

**Roller-Bearing, Fibre Trolleys,
Vertical Adjustment
Steel Forged Pendant**

Bronze Adjusting Nut


For heavy House, Church or Hall Doors where two or more doors slide into the same pocket.

In ordering always give thickness of door.

PRICE LIST

No. 400-a. For No. 1 Track (capacity 300 lbs.)	Per Pair,	\$4.00
No. 400-b. For No. 2½ Track (capacity 400 lbs.)	Per Pair,	5.00
No. 400-c. For No. 4 Track (capacity 600 lbs.)	Per Pair,	10.00
No. 1. Trolley Track	Per Foot,	.20
No. 2½. Trolley Track	Per Foot,	.30
No. 4. Trolley Track	Per Foot,	.50
Parallel Ear Brackets for No. 1 Track	Each,	.25
Parallel Ear Brackets for No. 2½ Track	Each,	.40
Parallel Ear Brackets for No. 3 Track	Each,	.80

Weights same as for No. 150 Hanger shown on page 19.



The distance from center to center of two P. E. Brackets set side by side is as follows:

For No. 1 Track Brackets, $2\frac{3}{8}$ inches.


For No. 2½ Track Brackets, $2\frac{3}{8}$ inches.

For Nos. 3 and 4 Track Brackets, $3\frac{3}{4}$ inches.

Illustration shows application of the No. 400 and No. 150 styles of hangers to three doors, all to slide into the same pocket.

Track is attached to the header with Parallel Ear Brackets, illustrated on pages 32 and 34, being Nos. 21 and 22—221 and 222—52 and 53.

House Door Hangers



No. 600

Folding Partition Door Hangers

Ball-Bearing Swivelled Carriers

PRICE LIST

No. 600-a.	Carrier for No. 1 Track (capacity 200 lbs.)	Each,	\$3.00
No. 600-b.	Carrier for No. 2½ Track (capacity 300 lbs.)	Each,	4.00
No. 600-c.	Carrier for Nos. 3 and 4 Track (capacity 400 lbs.)	Each,	5.00
No. 1.	Track	Per Foot,	.20
No. 2½	Track	Per Foot,	.30
No. 3.	Track	Per Foot,	.40
No. 4.	Track	Per Foot,	.50
Parallel Ear Brackets for No. 1 Track	Each,	.25
Parallel Ear Brackets for No. 2½ Track	Each,	.40
Parallel Ear Brackets for Nos. 3 and 4 Track	Each,	.80


DIRECTIONS FOR APPLYING NO. 600 STYLE HANGER

Select size of Carrier and Track suitable for the thickness and weight of doors to be hung.


Track should equal full width of openings and brackets used as indicated in price list.

Distance from underside of header to top of door will be 4½ inches for No. 1 Track, 6½ inches for No. 2½ Track, and 8 inches for Nos. 3 and 4 Track.

Any number of doors can be used, beginning with a **half door**, hinged to a strip attached to the jamb on one or both sides according to the proposed way of folding the doors. The half door must be exactly one-half the width of the full-sized doors, **less the thickness of the strip to which they are attached**. The full-sized doors must be of an exact width, top and bottom, and edges perfectly parallel. Hinge the doors together, fold them and strike a center line across them all. Attach Carriers on the center of this line, having the center of the pendant on the exact center of the door, considering both width and thickness. **Attach One Carrier to every other door.**



House Door Hangers



No. 80

Roller-Bearing, Single Iron or Fibre Trolleys, Rigid Pendant

Packed in sets with stops, guides and screws.

Used with Rail and Headers furnished with Nos. 75, 85 and 100 Style of Hangers.


PRICE LIST

Hangers only for Single Doors,	Per Set,	\$1.25
Hangers only for Double Doors,	Per Set,	2.50
Distance from top of Door to underside of heading timber, six inches.		

No. 95


Elevator Door Hangers, Self-Lubricating Bearings, Iron Trolleys, Rigid Pendant

Used with No. 1 Trolley Track.



PRICE LIST

Hangers (without Track Brackets),	Per Pair,	\$2.00
Side Wall Brackets for No. 1 Track,	Each,	.20
Parallel Ear Brackets for No. 1 Track	Each,	.25
No. 1 Trolley Track	Per Foot,	.20



No. 99

Roller-Bearing, Single Iron Trolleys, Rigid Pendant

Used only with No. 0 Track.

For very light doors or glass sash.


PRICE LIST

Hangers (without Track Brackets)	Per Pair,	\$1.50
Side Wall or Parallel Ear Brackets	Each,	.16
No. 0 Trolley Track	Per Foot,	.16

No. 0 Track is not furnished in lengths longer than three feet.

Electric Car Shed and Pier Door Hangers

No. 700



**Carriers rigidly attached to Pendants when used on Electric Car
Shed Doors**

Used with No. 4 Track only

Doors of these kinds are usually very heavy and must have strong attachments. The Track may be attached to the building by the use of "Side Wall" or "Parallel Ear" brackets. Note the opening left between the sections of tracks where trolley wires enter the building. In requesting estimates always advise height, width and thickness of doors, how many runs of track needed, style of bracket, the number of trolley wires entering building and accurately locate these as regards distance of one from the other.

PRICE LIST

No. 4 Rail.....	Per Foot,	\$0.50
Single Side Wall Brackets.....	Each,	.80
Double Side Wall Brackets.....	Each,	1.75
Parallel Ear Brackets.....	Each,	.80
No. 700 Hangers.....	Per Pair,	11.00
Weight, per pair, 23 pounds.		

List Price of Brackets For Round Trough Track

No. 85, 86 and 87 Side Wall Brackets	for No. 0 Track.....	\$0.16
No. 89 and 90, Parallel Ear Brackets	" " " "	.16
No. 91 and 92 Side Ear Brackets	" " " "	.16
No. 14, 15 and 16 Side Wall Brackets	" " 1 "	.20
No. 21 and 22 Parallel Ear Brackets	" " " "	.25
No. 23 and 24 Side Ear Brackets	" " " "	.30
No. 69, 69r and 69l Spc. Facia Brackets	" " " "	.35
No. 118, 119 and 120 Dbl. Side Wall	" " " "	1.20
No. 132 Right Angle End Brackets	" " " "	.35
No. 270, 271 and 272 Extension Bkts.	" " " "	.35
No. 727 Center Stop Brackets	" " " "	.35
No. 1287 Parallel Ear Center Stop Bkts.	" " " "	.40
No. 734 Triple Run Wall Bracket	" " " "	1.75
No. 125, 126, 127 Double Run Side Wall Brackets for No. 2 $\frac{1}{2}$ Track	for No. 2 $\frac{1}{2}$ Track	1.25
No. 217, 218 and 219 Sin. Run Side Wall Bkts. for No. 2 $\frac{1}{2}$ Track35
No. 221 and 222 Parallel Ear Bracket	for No. 2 $\frac{1}{2}$ Track40
No. 223 and 224 Side Ear Bracket	" " " "	.45
No. 728 Cen. Stop Side Wall Bracket	" " " "	.60
No. 886 Parallel Ear Cen. Stop Side Wall Bkt. for No. 2 $\frac{1}{2}$ Track..65
No. 754 Triple Run Wall Bracket	for No. 2 $\frac{1}{2}$ Track	1.50
No. 47, 48 and 49 Side Wall Bracket	" " 3 "	.50
No. 44, 45 and 46 Side Wall Bracket	" " 4 "	.80
No. 50 and 51 Side Ear Bracket	" " " "	1.50
No. 52 and 53 Parallel Ear Bracket	" " " "	.80
No. 111, 112 and 113 Dbl. Run Side Wall Bkt. for No. 4 Track..	2.00
No. 233, 234 and 235 Triple Run Side Wall Bkt. for No. 4 Track...	3.25
No. 237 and 238 Fort Side Ear Bracket for No. 4 Track	1.00
No. 730 Center Stop Wall Bracket	" " " "	1.00
No. 880 Center Stop Parallel Ear Bkt.	" " " "	1.00
No. 1374 and 1375 End Facia Brackets for No. 1 Track.....20

LIST PRICE OF TRACKS

No. 0	3 feet is longest length made	Per Foot,	\$0.16
No. 1	10 " " " "	Per Foot,	0.20
No. 2 $\frac{1}{2}$	10 " " " "	Per Foot,	0.30
No. 3	8 " " " "	Per Foot,	0.40
No. 4	8 " " " "	Per Foot,	0.50

**LIST PRICES OF COBURN BARN DOOR HANGERS
PER PAIR**

No. 80	Roller Bearing Single Iron or Fibre Trolleys	\$ 1.25
No. 95	Elevator Door Hangers	2.00
No. 99	Roller Bearing, Iron Wheels	1.50
No. 119	Wood Bearing, Iron or Fibre Trolleys	1.90
No. 119-r	Roller Bearing, Iron Trolleys	2.30
No. 120	Roller Bearing, Iron Trolleys	2.50
No. 122	" " "	2.50
No. 122 $\frac{1}{2}$	" " "	3.30
No. 124	" " "	5.00
No. 130	" " "	5.50
No. 135-a	" " "	5.00
No. 135-b	" " "	6.00
No. 135-c	" " "	7.00
No. 137-a	" " "	3.50
No. 137-b	" " "	4.50
No. 137-c	" " "	6.00
No. 138-a	" " "	4.50
No. 138-b	" " "	5.50
No. 138-c	" " "	6.50
No. 139-a	" " "	5.00
No. 139-b	" " "	6.00
No. 139-c	" " "	7.00
No. 140	" " "	6.50
No. 150-a	" " "	3.50
No. 150-b	" " "	4.50
No. 150-c	" " "	6.00
No. 160-a	" " "	4.50
No. 160-b	" " "	5.00
No. 160-c	" " "	6.00
No. 161-a	" " "	5.50
No. 161-b	" " "	6.00
No. 161-c	" " "	7.00
No. 170-a	" " "	4.00
No. 170-b	" " "	5.00
No. 170-c	" " "	6.00
No. 185-a	" " "	4.50
No. 185-b	" " "	6.00
No. 185-c	" " "	7.50
No. 190-a	" " "	4.00
No. 190-b	" " "	5.00
No. 190-c	" " "	6.00
No. 195-a	" " "	4.00
No. 195-b	" " "	5.00
No. 195-c	" " "	6.00
No. 501	Flat Track Hanger for 5 ft. door	1.10
No. 502	" " " for 10 ft. door light	1.30
No. 503	" " " for 10 ft. door heavy	1.75
No. 504	" " " for 15 ft. door light	2.15
No. 505	" " " for 15 ft. door heavy	2.60
No. 511	" " " for 5 ft. doors	1.15
No. 512	" " " for 10 ft. door light	1.40
No. 513	" " " for 10 ft. door heavy	1.95
No. 514	" " " for 15 ft. door light	2.35
No. 515	" " " for 15 ft. door heavy	2.85
No. 525	" " " Covered, Roller Bearing	.68
No. 530	" " " " " "	.82
No. 540	" " " " " "	.98
No. 550	" " " " " "	1.20
No. 560	" " " " " "	1.40
No. 570	" " " " " "	4.00
No. 700	Electric Car Shed and Pier Door Hangers	11.00

Detail of House Door Hanger Parts

Used with No. 2 Track Only

No. of Part		List Price
H 1.	Single Trolley Fibre Wheels.....	Each, \$0.20
H 2.	Single Fibre Trolley Carriers, Pendant and Plate	" .60
H 3.	Wood Bearing Carriers only (without Trolleys)	
	H 1.....	" .25
H 4.	Roller Bearing Carriers, including Fibre Trolleys H. 1.....	" 1.00
H 6.	Pendants, "Long Standard"	" .10
H 7.	Pendants, "Short Standard"	" .10
H 8.	Pendant Plates, "Steel".....	" .10
H 9.	Guides, "For Bottom of Door"	" .10
H 10.	Back Stop Plate.....	" .10
H 11.	Back Stop Button.....	" .10
H 12.	Lag Screw, $\frac{1}{4}$ x 3 inch, for Stop Button.....	.05
H 13.	Overhead Stop Plate.....	" .10
H 14.	Overhead Stop Strikers.....	" .10
H 15.	Small Vertical Adjustable Pendant, used with H-3, 4, and 5.....	" .60
H 16.	Small Vertical Adjustable Pendant Nut (Brass)	" .50
H 17.	Small Vertical Adjustable Pendant Plate.....	" .30
H 18.	Center Double Adjusting Screw Bracket for No. 2 Track.....	" .35
H 19.	Single Adjusting Screw Plate.....	" .25
H 20.	Back Lug.....	" .20
H 21.	Center Adjusting Screw used with H 19 and H 20.....	" .10
H 22.	Double Nutted Adjusting Screw used with H 21	" .10
H 23.	Stove Bolts for attaching Brackets to Headers	" .05
H 24.	Wood Header, 1 x $2\frac{1}{4}$ inches, per foot.....	" .15
H 25.	Rivets—Oval Head.....	" .05
H 26.	Cotter Pins.....	" .02

We issue catalogues of our various products as follows:

Rolling Ladders . . . No. 47

Automatic Fire Doors and
Fixtures No. 37

Overhead Monorail . . . No. 45

Improved Garage Door Hangers

